



# 175KW Custom Heat Pump 380V 50HZ Or 60HZ Horizotal Shell **Tube**

## **Basic Information**

. Place of Origin: China . Brand Name: meidibao CE · Certification:

MDB-500WD Model Number:

1SET • Minimum Order Quantity:

• Price: negotiate a price

· Packaging Details: wooden frame or plywood box

• Delivery Time: 25-30 days

Payment Terms: T/T

. Supply Ability: 5 set one day



## Product Specification

. Heat Exchanger: Horizotal Shell Tube

· Cop: 3.8 R410A • Refrigerant:

• Power Supply: 380V/3PH/60Hz Or 50Hz

· Compressor Type: Scroll

Air Source Heat Pump Type: • Name: Custom Heat Pump . Highlight: 175KW Custom Heat Pump, **Custom Heat Pump 380V** 

## **Product Description**

175KW Custom Heat Pump 380V/50HZ or 60HZ Horizotal shell tube

#### **Product Description**

Meidibao air source heat pump system is powered by ambient air and operates around the clock: it provides continuous hot water thrughout the yeat and throughout the year,regardless of weather. The opreating cost is 67% less than that of gas water heater, 75% less than that of electric water heater and 60% less than that of boiler.Intelligent control: The unit is automatically controlled by a microcomputer, and automatically runs according to the water temperature of the water tank and the user's water use, without the need for special duty. Reasonable arrangement of low front

#### Feature

- 1. Foshan Meidibao Electrical Appliance Co.,Ltd. has been a manufacturer professionally specialized in research, development and production of Heat Pumps since 2005. Our well-equipped facilities and excellent quality control throughout all stages of production enables us to guarantee customer satisfaction.
- 2. can OEM ODM ,Experienced
- 3. Horizotal shell tube



4. 304# sheet metal



5. The heat exchanger is easy to disassemble and clean

## Specification:

Product	Air source heat pump
Model	MDB-500WD
Climatic type	Normal
Power supply	380V /50Hz
Rated heating capacity	175kW
Rated power input	48.6kW
Max Rated current	100A
Refrigerant	R410
Rated water temp.	55
Max hot water temp.	60
working temp	0-43
water pipe size	3"
Noise	≤84dB(A)
Product dimension	2200×2000×2300mm
Net weight	1100kg
Testing condition:ambient Dry/Wet Bulb Temp: 20 / 15 ;Water Inlet Outlet Temp: 15 / 55	

### Advantages:

Heat pump form heating: no need to build a boiler room, directly from the air heat absorption, reduce the cost, clean and safety, avoid environmental pollution; For some winter by heat pump heat shortage places, it can also choose auxiliary electric heating to meet the heat requirements. High efficiency, energy saving, reliable performance: choose the world famous brand rotary type or fully enclosed vortex compressor and the world famous brand high-quality refrigeration components, to ensure that the whole machine plays the highest energy efficiency. The multi-system unit adopts a two-stage energy regulation system, which is especially suitable for partial load, more energy saving and can effectively protect the frequent start of the system.









# Meidibao Foshan Meidi Bao Electric Appliance Industry Co., Ltd

8613534489875

info@meidibao.com airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China