



# 144KW Custom Air Source Heat Pump 380V 50HZ 60HZ MDB-400WD

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1SET
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



## **Product Specification**

- Name:
- Heat Exchanger:
- Cop:
- 304 Shell Titanium Tube 3.8 R410A

**Custom Heat Pump** 

• Power Supply: 380V/3PH/60Hz Or 50Hz

China

CE

meidibao

MDB-400WD

negotiate a price

25-30 days

5 set one day

T/T

Factory standard packing

- Compressor Type:
- Type:

• Refrigerant:

• Highlight:

### Scroll Air Source Heat Pump

144KW Custom Air Source Heat Pump, Custom Air Source Heat Pump 380V, Custom Air Source Heat Pump 60HZ

**Our Product Introduction** 

144KW Custom Heat Pump 380V/50HZ or 60HZ air Source heat pump

### Product Description:

Meidibao air source heat pump system is powered by ambient air and operates around the clock: it provides continuous hot water thrughout the yeat and throughout the year, regardless of weather . The opreating cost is 67% less than that of gas water heater, 75% less than that of electric water heater and 60% less than that of boiler. Intelligent control: The unit is automatically controlled by a microcomputer, and automatically runs according to the water temperature of the water tank and the user's water use, without the need for special duty. Reasonable arrangement of low front

#### Feature:

1. Foshan Meidibao Electrical Appliance Co.,Ltd. has been a manufacturer professionally specialized in research, development and production of Heat Pumps since 2005. Our well-equipped facilities and excellent quality control throughout all stages of production enables us to guarantee customer satisfaction.

2. can OEM ODM ,Experienced

3. 304 shell titanium tube

4. 304# sheet metal


Specification:

Product	Air source heat pump
Model	MDB-400WD
Climatic type	Normal
Power supply	380V /60Hz
Rated heating capacity	144kW
Rated power input	38.9kW
Max Rated current	89A
Refrigerant	R410
Rated water temp.	55
Max hot water temp.	60
working temp	0-43
water pipe size	3"
Noise	≤78dB(A)
Product dimension	2200×2000×2300mm
Net weight	1020kg
Testing condition: ambient Dry/Wet Bulb Temp: 20 / 15 ; Water Inlet Outlet Temp: 15 / 55	

#### Advantages:

Heat pump form heating: no need to build a boiler room, directly from the air heat absorption, reduce the cost, clean and safety, avoid environmental pollution; For some winter by heat pump heat shortage places, it can also choose auxiliary electric heating to meet the heat requirements. High efficiency, energy saving, reliable performance: choose the world famous brand rotary type or fully enclosed vortex compressor and the world famous brand high-quality refrigeration components, to ensure that the whole machine plays the highest energy efficiency. The multi-system unit adopts a two-stage energy regulation system, which is especially suitable for partial load, more energy saving and can effectively protect the frequent start of the system.







🔇 8613534489875 🖸 info@meidibao.com 😢 airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China