



40HP Commercial Air Source Heat Pump 304 Sheet Metal 304 Shell Titanium Tube

Basic Information

Place of Origin: China
Brand Name: meidibao
Certification: CE

Model Number: KFXRS-140II-M1

• Minimum Order Quantity: 1unit

• Price: negotiate a price

Packaging Details: wooden frame or plywood box

• Delivery Time: 25-30 days

Payment Terms: T/T

Supply Ability: 5 units one day



Product Specification

• Heat Exchanger: 304 Shell Titanium Tube

• Refrigerant: R410A

• Power Supply: 380V/3PH/60Hz Or 50Hz

• Compressor Type: Scroll

• Type: Air Source Heat Pump

Brand Name: MEIDIBAO

Name: Commercial Air Source Heat Pump
 Highlight: 40HP Commercial Air Source Heat Pump,

Commercial Air Source Heat Pump 50Hz

Product Description

40HP Commercial Air Source Heat Pump 304 sheet metal 304 shell titanium tube

Product Description

Meidibao air source heat pump system is powered by ambient air and operates around the clock: it provides continuous hot water thrughout the yeat and throughout the year,regardless of weather. The opreating cost is 67% less than that of gas water heater, 75% less than that of electric water heater and 60% less than that of boiler. Intelligent control: The unit is automatically controlled by a microcomputer, and automatically runs according to the water temperature of the water tank and the user's water use, without the need for special duty. Reasonable arrangement of low front

Feature

- 1. Foshan Meidibao Electrical Appliance Co.,Ltd. has been a manufacturer professionally specialized in research, development and production of Heat Pumps since 2005. Our well-equipped facilities and excellent quality control throughout all stages of production enables us to guarantee customer satisfaction.
- 2. can OEM ODM ,Experienced
- 3. 304 shell titanium tube heat exchanger
- 4. 304# sheet metal
- 5. Strong corrosion resistance

Specification:

<u> Брестоалогт</u>	
Product	Air source heat pump
Model	KFXRS-140II-M1
Climatic type	Normal
Power supply	380V /60Hz
Rated heating capacity	144kW
Rated power input	38.9kW
Max Rated current	89A
Refrigerant	R410
Rated water temp.	55
Max hot water temp.	60
working temp	0-43
water pipe size	3"
Noise	≤78dB(A)
Product dimension	2200×2000×2300mm
Net weight	1020kg
Testing condition:ambient Dry/Wet Bulb Temp: 20 / 15 ;Water Inlet Outlet Temp: 15 / 55	

Advantages:

Heat pump form heating: no need to build a boiler room, directly from the air heat absorption, reduce the cost, clean and safety, avoid environmental pollution; For some winter by heat pump heat shortage places, it can also choose auxiliary electric heating to meet the heat requirements. High efficiency, energy saving, reliable performance: choose the world famous brand rotary type or fully enclosed vortex compressor and the world famous brand high-quality refrigeration components, to ensure that the whole machine plays the highest energy efficiency. The multi-system unit adopts a two-stage energy regulation system, which is especially suitable for partial load, more energy saving and can effectively protect the frequent start of the system.











Meidikao Foshan Meidi Bao Electric Appliance Industry Co., Ltd



8613534489875



info@meidibao.com



airsource-heatingpump.com