



27KW R410A 50Hz EVI Technology Heat Pump For Floor Heating **Rises**

Basic Information

. Place of Origin: China . Brand Name: meidibao CE · Certification:

M-D27AAH Model Number: Minimum Order Quantity: 6 units

• Price: negotiate a price · Packaging Details: Factory standards • Delivery Time: 25-30 work days

Payment Terms: T/T

. Supply Ability: 20 units day



Product Specification

• Brand Name: **MEIDIBAO** . Place Of Origin: China Fixed Type: · Color: White, OEM 3N 380V 50HZ • Power Supply: Operation Ambient Temp: -25~43

Name: EVI Heat Pump

• Highlight: 27KW EVI Technology Heat Pump,

R410A EVI Technology Heat Pump, 50Hz EVI Technology Heat Pump

Product Description

27KW EVI heat pump R410a 50Hz EVI Technology Heat Pump For the froor heating rises

Product Description:

Scientific research shows that from the perspective of health and comfort, the ideal temperature in winter is between 18-20C. The ideal heat distributionshows a temperature distribution from floor to ceilingand vertical reduction, which can keep the feet warm and clear-headed. The heat of the floor heating rises from the foot, so that the temperatureofthewhole indoorspace is hierarchically distributed. it conforms to the theory that TCM healthis "warm and cool" Thefoor heatingisan ideal heating method without hot air, which is beneficial to the body to maintain moisture. Atthesametime, it has a promoting effet on rheumatism and asthma.

Feature:

- 1. Timer and clock function
- 2. Multiple protections
- 3. Automatic and forced defrost
- 4. Anti-freezing function

Specification:

| Model | | M-D27AAH |
|----------------------------|-------|---------------|
| Heating Capacity Range | kW | 27 |
| | BTU/h | 92124 |
| Heating Power Input Range | kW | 7.1 |
| Cooling Capecity Range | kW | 16.2 |
| | BTU/h | 55274 |
| Cooling Power Input Range | kW | 6.5 |
| Frequency | Hz | 50 |
| ErP level(35) | / | A++ |
| ErP level(55) | / | A+ |
| Power Supply | / | 3N 380V 50HZ |
| Electric Heater | kW | / |
| Max.Running Current | A | 16.3 |
| Refrigerant Type | / | R410A |
| Refrigerant Quantity | kg | 3.4 |
| Water Connection | / | 1" |
| Water Pressure Drop | kPa | 10 |
| Water Pump Head | m | 11.8 |
| Fan Motor Quantity | / | 2 |
| Motor Power Input | W | 220 |
| Fan Speed | rpm | 850 |
| Noise | dB(A) | 56 |
| Net Weight | kg | 188 |
| Gross Weight | kg | 243 |
| Net Dimension(L/W/H) | mm | 1370×580×1525 |
| Shippping Dimension(L/W/H) | mm | 1480×690×1690 |
| Operation Ambient Temp. | | -25~43 |

Advantages:


Under ideal weather conditions, heat pump water heaters produce three times the energy used to power the heat pump. In other words, heat pump water heaters use one-third of the electricity of conventional electric water heaters. CUB estimates that the average residential customer would save a lot of money per month using a MEIDIBAO heat pump water heater.


















Meidibao Foshan Meidi Bao Electric Appliance Industry Co., Ltd





