



36KW EVI Heat Pump Side Discharge 3N 380V 50HZ Plate Heat Exchanger

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: meidibao
- Certification: CE
- Model Number: M-D36AAH
- Minimum Order Quantity: 6 units
- Price: negotiate a price
- Packaging Details: Factory standards
- Delivery Time: 25-30 work days
- Payment Terms: T/T
- Supply Ability: 20 units day



Product Specification

- Brand Name: MEIDIBAO
- Place Of Origin: China
- Type: Fixed
- Power Supply: 3N 380V 50HZ
- Operation Ambient Temp: -25~43
- Refrigerant Type: R410A
- Name: EVI Heat Pump
- Highlight: **36KW EVI Heat Pump,
EVI Heat Pump Side Discharge,
Side Discharge Heat Pump EVI**

for more products please visit us on airsource-heatingpump.com

Product Description

36KW EVI heat pump side discharge 3N 380V 50HZ plate heat exchanger

Product Description:

Scientific research shows that from the perspective of health and comfort, the ideal temperature in winter is between 18-20°C. The ideal heat distribution shows a temperature distribution from floor to ceiling and vertical reduction, which can keep the feet warm and clear-headed. The heat of the floor heating rises from the foot, so that the temperature of the whole indoor space is hierarchically distributed. It conforms to the theory that TCM health is "warm and cool". The floor heating is an ideal heating method without hot air, which is beneficial to the body to maintain moisture. At the same time, it has a promoting effect on rheumatism and asthma.

Feature:

1. Timer and clock function
2. Multiple protections
3. Automatic and forced defrost
4. Anti-freezing function

Specification:

Model		M-D36AAH
Heating Capacity Range	kW	36
	BTU/h	122832
Heating Power Input Range	kW	9.47
Cooling Capacity Range	kW	21.6
	BTU/h	73699
Cooling Power Input Range	kW	8.7
Frequency	Hz	50
ErP level(35)	/	A++
ErP level(55)	/	A+
Power Supply	/	3N 380V 50HZ
Electric Heater	kW	/
Max. Running Current	A	21.8
Refrigerant Type	/	R410A
Refrigerant Quantity	kg	3.1
Water Connection	/	1"
Water Pressure Drop	kPa	10
Water Pump Head	m	11.8
Fan Motor Quantity	/	2
Motor Power Input	W	220
Fan Speed	rpm	850
Noise	dB(A)	58
Net Weight	kg	202
Gross Weight	kg	254
Net Dimension(L/W/H)	mm	1370×580×1525
Shipping Dimension(L/W/H)	mm	1480×690×1690
Operation Ambient Temp.		-25~43

Advantages:

Under ideal weather conditions, heat pump water heaters produce three times the energy used to power the heat pump. In other words, heat pump water heaters use one-third of the electricity of conventional electric water heaters. CUB estimates that the average residential customer would save a lot of money per month using a MEIDIBAO heat pump water heater.













Meidibao® Foshan Meidi Bao Electric Appliance Industry Co., Ltd

☎ 8613534489875

✉ info@meidibao.com

🌐 airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China