



MEIDIBAO 22KW Inverter LOW Temperature Heat Pump Heating And Cooling

Basic Information

. Place of Origin: China . Brand Name: meidibao CE · Certification:

M-D22ADH Model Number: Minimum Order Quantity: 6 units

• Price: negotiate a price Factory standards · Packaging Details: • Delivery Time: 25-30 work days

Payment Terms: T/T

. Supply Ability: 20 units day



Product Specification

• Brand Name: **MEIDIBAO** . Place Of Origin: China Type: Inverter • Power Supply: 3N 380V 50HZ

 Operation Ambient Temp: -25~43 • Refrigerant Type: R410A

Name: EVI Heat Pump

• Highlight: 22KW LOW Temperature Heat Pump,

Inverter LOW Temperature Heat Pump, **LOW Temperature Heat Pump Heating And**

Cooling

Product Description

MEIDIBAO 22KW Inverter LOW temperature heat pump heating and cooling

Product Description:

Scientific research shows that from the perspective of health and comfort, the ideal temperature in winter is between 18-20C. The ideal heat distributionshows a temperature distribution from floor to ceilingand vertical reduction, which can keep the feet warm and clear-headed. The heat of the floor heating rises from the foot, so that the temperatureofthewhole indoorspace is hierarchically distributed. it conforms to the theory that TCM healthis "warm and cool" Thefoor heatingisan ideal heating method without hot air, which is beneficial to the body to maintain moisture. Atthesametime, it has a promoting effet on rheumatism and asthma.

Feature:

- 1. Timer and clock function
- 2. Multiple protections
- 3. Automatic and forced defrost
- 4. Anti-freezing function

Specification:

Model		M-D22ADH
Heating Capacity Range	kW	6.3-22
	BTU/h	21495-71652
Heating Power Input Range	kW	1.5-5.5
Cooling Capecity Range	kW	3.7-12.6
	BTU/h	12624-42990
Cooling Power Input Range	kW	1.2-5
Frequency	Hz	30-90
ErP level(35)	/	A++
ErP level(55)	/	A+
Power Supply	/	3N 380V 50HZ
Electric Heater	kW	V
Max.Running Current	A	11.5
Refrigerant Type	/	R410A
Refrigerant Quantity	kg	3
Water Pump Brand	/	NO
Water Connection	/	1"
Water Flow	m³/h	2.38
Water Pressure Drop	kPa	10
Water Pump Head	m	8
Fan Motor Quantity	/	2
Motor Power Input(max)	W	136
Motor Power Input(min)	W	18
Fan Speed (max)	rpm	850
Fan Speed (min)	rpm	300
Pressure Sensor 1	Bar	0-20
Pressure Sensor 2	Bar	0-45
Operation Ambient Temp.		-25~43
Advantages:		•

Advantages:


Under ideal weather conditions, heat pump water heaters produce three times the energy used to power the heat pump. In other words, heat pump water heaters use one-third of the electricity of conventional electric water heaters. CUB estimates that the average residential customer would save a lot of money per month using a MEIDIBAO heat pump water heater.



















Meidibao Foshan Meidi Bao Electric Appliance Industry Co., Ltd





