



MEIDIBAO 22KW Low Temperature Inverter EVI Heat Pump for Efficient Heating and Cooling

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: meidibao
- Certification: CE
- Model Number: M-D22ADH
- Minimum Order Quantity: 6 units
- Price: negotiate a price
- Packaging Details: Factory standards
- Delivery Time: 25-30 work days
- Payment Terms: T/T
- Supply Ability: 20 units day



Product Specification

- Brand Name: MEIDIBAO
- Place Of Origin: China
- Type: Inverter
- Power Supply: 3N 380V 50HZ
- Operation Ambient Temp: -25~43
- Refrigerant Type: R410A
- Name: EVI Heat Pump
- Highlight: **22KW LOW Temperature Heat Pump ,
Inverter LOW Temperature Heat Pump ,
LOW Temperature Heat Pump Heating And
Cooling**

for more products please visit us on airsource-heatingpump.com

MEIDIBAO 22KW Inverter LOW Temperature Heat Pump Heating And Cooling

Product Overview

MEIDIBAO 22KW Inverter LOW temperature heat pump heating and cooling system designed for optimal comfort and energy efficiency.

Scientific research shows that from the perspective of health and comfort, the ideal temperature in winter is between 18-20°C. The ideal heat distribution shows a temperature distribution from floor to ceiling with vertical reduction, which can keep the feet warm and clear-headed. The heat of floor heating rises from the foot, so that the temperature of the whole indoor space is hierarchically distributed. This conforms to the theory that TCM health is "warm and cool." Floor heating is an ideal heating method without hot air, which is beneficial to the body to maintain moisture. At the same time, it has a promoting effect on rheumatism and asthma.

Key Features

- Timer and clock function
- Multiple protection systems
- Automatic and forced defrost
- Anti-freezing function

Technical Specifications

Model	M-D22ADH
Heating Capacity Range	6.3-22 kW (21495-71652 BTU/h)
Heating Power Input Range	1.5-5.5 kW
Cooling Capacity Range	3.7-12.6 kW (12624-42990 BTU/h)
Cooling Power Input Range	1.2-5 kW
Frequency	30-90 Hz
ErP level (35)	A++
ErP level (55)	A+
Power Supply	3N 380V 50HZ
Max. Running Current	11.5 A
Refrigerant Type	R410A
Refrigerant Quantity	3 kg
Water Connection	1"
Water Flow	2.38 m³/h
Water Pressure Drop	10 kPa
Water Pump Head	8 m
Operation Ambient Temperature	-25°C to 43°C

Energy Efficiency Advantages

Under ideal weather conditions, heat pump water heaters produce three times the energy used to power the heat pump. In other words, heat pump water heaters use one-third of the electricity of conventional electric water heaters. CUB estimates that the average residential customer would save a lot of money per month using a MEIDIBAO heat pump water heater.

Product Images













Meidibao[®] Foshan Meidebao Intelligent Electrical Appliances Co., Ltd

☎ 8613534489875

✉ info@meidibao.com

🌐 aresource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China