



## EVI Split Heat Pump LOW Temperature Heat Pump Heating Cooling

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: meidibao
- Certification: CE
- Model Number: DKFXKR-35II-M1CD1
- Minimum Order Quantity: 6 units
- Price: negotiate a price
- Packaging Details: Factory standards
- Delivery Time: 25-30 work days
- Payment Terms: T/T
- Supply Ability: 20 units day



### Product Specification

- Brand Name: MEIDIBAO
- Place Of Origin: China
- Type: Inverter
- Operation Ambient Temp: -25~43
- Refrigerant Type: R410A
- Model: DKFXKR-35II-M1CD1
- Name: EVI Heat Pump
- Highlight: **EVI Split Heat Pump,  
LOW Temperature Heat Pump Heating Cooling**

for more products please visit us on [airsource-heatingpump.com](http://airsource-heatingpump.com)

## Product Description

DKFXKR-35II-M1CD1 Inverter LOW temperature heat pump heating and cooling

### Product Description:

Scientific research shows that from the perspective of health and comfort, the ideal temperature in winter is between 18-20C .The ideal heat distribution shows a temperature distribution from floor to ceiling and vertical reduction, which can keep the feet warm and clear-headed. The heat of the floor heating rises from the foot, so that the temperature of the whole indoor space is hierarchically distributed. it conforms to the theory that TCM health is "warm and cool" The floor heating is an ideal heating method without hot air, which is beneficial to the body to maintain moisture. At the same time, it has a promoting effect on rheumatism and asthma.

### Feature:

1. Timer and clock function
2. Multiple protections
3. Automatic and forced defrost
4. Anti-freezing function
5. Anti-freezing function

### Specification:

Product	Inverter EVI Heating And Cooling Heat Pump
Model	DKFXKR-35II-M1CD1
Power supply	3N 380V 50HZ
Rated heating capacity (A7 W45)	31.6kW
Rated heating power	9.23kW
Rated heating capacity (A-7 W41)	22.6KW
Rated heating power	8.31KW
Rated cooling capacity(A-12 W41)	20.3KW
Rated cooling power	8.35kW
Max Rated current	22.4A
Refrigerant / Charge	R410/3400g
water pipe size	DN40
Noise	≤68dB(A)
Product dimension	1150×550×1575mm
Net weight	220kg

### Advantages:

Under ideal weather conditions, heat pump water heaters produce three times the energy used to power the heat pump. In other words, heat pump water heaters use one-third of the electricity of conventional electric water heaters. CUB estimates that the average residential customer would save a lot of money per month using a MEIDIBAO heat pump water heater.

















*Meidibao*<sup>®</sup> Foshan Meidi Bao Electric Appliance Industry Co., Ltd

☎ 8613534489875

✉ info@meidibao.com

🌐 aresource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China