




MEIDIBAO 24KW Inverter EVI Air To Water Heat Pump 3N 380V 50HZ

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: meidibao
- Certification: CE
- Model Number: M-D24ADH
- Minimum Order Quantity: 6 units
- Price: negotiate a price
- Packaging Details: Factory standards
- Delivery Time: 25-30 work days
- Payment Terms: T/T
- Supply Ability: 20 units day



Product Specification

- Brand Name: MEIDIBAO
- Place Of Origin: China
- Color: White,OEM
- Power Supply: 3N 380V 50HZ
- Operation Ambient Temp: -35~43
- Factory: Guangdong China
- Name: EVI Heat Pump
- Highlight: **24KW EVI Air To Water Heat Pump,
Inverter EVI Air To Water Heat Pump,
Inverter Type Heat Pump EVI**

Product Description

24KW MEIDIBAO Inverter EVI air to water heat pump 3N 380V 50HZ

Product Description:

Foshan Meidibao Electrical Appliance Co.,Ltd. has been a manufacturer professionally specialized in research,development and production of Heat Pumps since 2005.Our well-equipped facilities and excellent quality control throughout all stages of production enables us to guarantee customer satisfaction.Scientific research shows that from the perspective of health and comfort, the ideal temperature in winter is between

18-20C .The ideal heat distributionshows a temperature distribution from floor to ceilingand vertical reduction, which can keep the feet warm and clear-headed. The heat of the floor heating rises from the foot, so that the temperatureofthewhole indoorspace is hierarchically distributed. it conforms to the theory that TCM healthis "warm and cool" Thefloor heatingisan ideal heating method without hot air, which is beneficial to the body to maintain moisture. Atthesametime, it hasa promoting effect on rheumatism and asthma.

Feature:

1. Inverter compressor
2. Multiple protections
3. Automatic and forced defrost
4. Anti-freezing function

Specification:

Model		M-D24ADH
Heating Capacity Range	kW	10.8-36
	BTU/h	36849-122832
Heating Power Input Range	kW	2.5-9.5
Cooling Capecity Range	kW	6.5-21.6
	BTU/h	22178-73699
Cooling Power Input Range	kW	2.1-8.8
Frequency	Hz	30-90
ErP level(35)	/	A++
ErP level(55)	/	A+
Power Supply	/	3N 380V 50HZ
Electric Heater	kW	/
Max.Running Current	A	21.8
Refrigerant Type	/	R410A
Refrigerant Quantity	kg	3.3
Compressor Brand	/	Mitsubishi Electric
Water Pump Brand	/	WiLo
Water Connection	/	1"
Water Flow	m³/h	6.2
Water Pressure Drop	kPa	10
Water Pump Head	m	11.8
Fan Motor Quantity	/	2
Motor Power Input(max)	W	136
Motor Power Input(min)	W	18
Fan Speed (max)	rpm	850
Fan Speed (min)	rpm	300
Pressure Sensor 1	Bar	0-20
Pressure Sensor 2	Bar	0-45
Noise	dB(A)	58
Net Weight	kg	183
Gross Weight	kg	235
Net Dimension(L/W/H)	mm	1370×580×1525
Shipping Dimension(L/W/H)	mm	1480×690×1690

Advantages:

Under ideal weather conditions, heat pump water heaters produce three times the energy used to power the heat pump. In other words, heat pump water heaters use one-third of the electricity of conventional electric water heaters. CUB estimates that the average residential customer would save a lot of money per month using a MEIDIBAO heat pump water heater.













Meidibao® Foshan Meidebao Intelligent Electrical Appliances Co., Ltd

☎ 8613534489875

✉ info@meidibao.com

🌐 airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China