



## High Efficiency EVI Air Source Heat Pump R410A Low Temp Water Heater Heat Pump

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Meidibao
- Certification: CE
- Model Number: DKFXRS-35II-M3
- Minimum Order Quantity: 3units
- Price: negotiate a price
- Packaging Details: Factory standards
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
- Payment Terms: T/T
- Supply Ability: 300 units per Month



### Product Specification

- Material: Galvanized Sheet
- Use: Hot Water
- Waterproof Level: IP×4
- Working Ambient Temperature: -35~43C
- Factory: Guangdong, China
- Brand Name: MEIDIBAO Of OEM
- Name: EVI Heat Pump
- Highlight: **High Efficiency EVI Air Source Heat Pump,  
EVI Air Source Heat Pump R410A,  
Low Temp Water Heater Heat Pump**

for more products please visit us on [airsource-heatingpump.com](http://airsource-heatingpump.com)

## Product Description

High Efficiency EVI Air Source Heat Pump R410a Low Temp water heater

### Product Description:

Foshan Meidibao Electric Appliance Co.,Ltd relays on science and technology, walks the road of scientific management, adheres to the good faith management, serves the community for the purpose and pays attention to create the energy conservation and environmental friendly product.After many years of accumulation and development, R&D ability and service level gradually increases with series of patent and independent intellectual property rights,Meidibao has sound production equipment and perfect craftsmanship process with regular and bespoke experience and capacity for air source heat pump producing over thousands of heat pump per year.

### Feature:

1. Low-temperature heating at minus 35 degrees, greatly expanding the scope of application
2. Multi-folding column, unit strength increased by 30%
3. Up to 8 modular machines in parallel
4. Intelligent defrosting technology to reduce heat attenuation


### Specification:

Heat pump		DKFXRS-35II-M3
Power supply	V-Hz	380V-415V/3PH/50Hz
Working temp		-35~43
Min./Max.out water temp		55/60
Output Heating Capacity(20 /15 )	KW	36
Innut power	KW	9
Output Heating Capacity(-12 /-14 )	KW	19
Innut power	KW	7.9
MAX Rated current	A	22
Compressor		Scroll
Refrigerant		R410A
Condenser		Copper tube in shell
Wire controller		Intelligent/LCD
Dimension(L*W*H)		1500*750*1060

### Advantages:

Heat pump form heating: no need to build a boiler room, directly from the air heat absorption, reduce the cost, clean and safety, avoid environmental pollution; For some winter by heat pump heat shortage places, it can also choose auxiliary electric heating to meet the heat requirements.High efficiency, energy saving, reliable performance: choose the world famous brand rotary type or fully enclosed vortex compressor and the world famous brand high-quality refrigeration components, to ensure that the whole machine plays the highest energy efficiency. The multi-system unit adopts a two-stage energy regulation system, which is especially suitable for partial load, more energy saving and can effectively protect the frequent start of the system.









**Meidibao® Foshan Meidi Bao Electric Appliance Industry Co., Ltd**

☎ 8613534489875

✉ [info@meidibao.com](mailto:info@meidibao.com)

🌐 [airsource-heatingpump.com](http://airsource-heatingpump.com)

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China