



50HP / 60HP R410A High Power Low Temperature Air Source Heat Pump

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 3 units
- Price:

• Supply Ability:

- Packaging Details: Factory Standard
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
 Payment Terms: T/T

5 units one day

DKFXRS-210II-M1

negotiate a price

China

CE

Meidibao



Product Specification

• Use:	Hot Water
 Working Ambient Temperature: 	-35~43C
Compressor:	Panasonic , Copeland
• MAX Temp:	60
Refrigerant:	R410A
• Heating:	210KW
• Name:	EVI Heat Pump
 Highlight: 	50HP Low Temperature Air Source High Power Low Temperature Air S Pump

50HP or 60HP R410A High Power Low temperature air source water heater

Product Description:

Foshan Meidibao Electric Appliance Co.,Ltd relys on science and technology, walks the road of scientifc management, adheres to the good faith management, serves the community for the purpose and pays attention to create the energy conservation and environmental friendly product. After many years of accumulation and development, R&D abiliy and service level gradually increases with series of patent and independent intellectual property rights, Meidibao has sound production equipment and perfect craftmanship process with regular and bespoke experience and capacity for air source heat pump producing over thousands of heat pump per year.

Feature:

- 1. famous brand compressor
- 2. Multiple protections
- 3. Automatic and forced defrost
- 4. Anti-freezing function

Specification:

Heat pump		DKFXRS-210II-M1
Power supply	V-Hz	380V-415V/3PH/50Hz
Working temp		-35~43
Min./Max.out water temp		55/60
Output Heating Capacity(20 /15)	KW	210
Innut power	KW	48
Output Heating Capacity(-12 /-14)	KW	88
Innut power	KW	38
MAX Rated current	A	130
Compressor		Scroll
Refrigerant		R410A
Dimension(L*W*H)		2300×1300×2370

Advantages:

Heat pump form heating: no need to build a boiler room, directly from the air heat absorption, reduce the cost, clean and safety, avoid environmental pollution; For some winter by heat pump heat shortage places, it can also choose auxiliary electric heating to meet the heat requirements. High efficiency, energy saving, reliable performance: choose the world famous brand rotary type or fully enclosed vortex compressor and the world famous brand high-quality refrigeration components, to ensure that the whole machine plays the highest energy efficiency. The multi-system unit adopts a two-stage energy regulation system, which is especially suitable for partial load, more energy saving and can effectively protect the frequent start of the system.









