



1RT Monoblock Heat Pump Only Cooling 1P/220V/50Hz For Home / Fish Pond

Basic Information

Place of Origin: ChinaBrand Name: MeidibaoCertification: CE

Model Number: MDB-03II-M1Minimum Order Quantity: 9 units

Price: negotiate a price Packaging Details: Factory standards

Delivery Time: Specific to the order based on regular

products 5 to 7 days. Custom made for 30

days

• Payment Terms: T/T

Supply Ability: 50 units one day



Product Specification

COP: 3.8~4.6
Working Ambient 0~43C

Temperature:

Compressor Type: Rotary

• Power Supply: 220V/50HZ Or 60HZ

• Use: Cooling House, cooling Fish Pond

• Cooling: 2.5KW

Name: Monoblock Heat PumpHighlight: 1RT Monoblock Heat Pump,

Monoblock Heat Pump Only Cooling,

Home Heat Pump Monoblock

Product Description

1RT Monoblock Heat Pump only cooling 1P/220V/50Hz for home, Fish pond

Product Description:

A 1RT (Refrigeration Ton) Monoblock Heat Pump designed for only cooling offers several notable features and benefits. This type of heat pump is a compact and self-contained unit, which simplifies installation and reduces the complexity of the system.

It operates by extracting heat from the indoor space and releasing it to the outside, thereby effectively cooling the area. The 1RT capacity indicates its cooling power, suitable for small to medium-sized spaces depending on various factors such as insulation, room size, and local climate.

The monoblock design means that all the components necessary for the cooling process are housed within a single unit, eliminating the need for separate indoor and outdoor units and associated piping connections.

It typically comes with an efficient compressor and a well-designed heat exchanger to ensure optimal heat transfer and energy efficiency.

Feature:

- 1. Different heat exchangers are used in different ways
- 2. Long life
- 3. Easy Maintenance
- 4. Low noise

Specification:

Model:	MDB-03II-M1
Power Supply:	1P/220V/50Hz
Rated cooling Capacity (A35 /W7): KW	2.5
EER	2.5
Refrigerant Type:	R410A
Refrigerant Volume:	350g
Applicable Ambient:	5 -43
Net Dimensions (L*W*H):	606*356*527mm
Net Weight:	31kg
Color:	White

Advantages:

Heat pump form heating: no need to build a boiler room, directly from the air heat absorption, reduce the cost, clean and safety, avoid environmental pollution; For some winter by heat pump heat shortage places, it can also choose auxiliary electric heating to meet the heat requirements. High efficiency, energy saving, reliable performance: choose the world famous brand rotary type or fully enclosed vortex compressor and the world famous brand high-quality refrigeration components, to ensure that the whole machine plays the highest energy efficiency. The multi-system unit adopts a two-stage energy regulation system, which is especially suitable for partial load, more energy saving and can effectively protect the frequent start of the system.















