



24KW Monoblock Air Source Heat Pump R32 Refrigerant Low Carbon Heat Pump

Basic Information

Place of Origin: ChinaBrand Name: meidibaoCertification: CE

Model Number: M-C24AAHMinimum Order Quantity: 6 units

Price: negotiate a price
Packaging Details: Factory standards
Delivery Time: 25-30 work days

Payment Terms: T/T

Supply Ability: 20 units day



Product Specification

Name: Monoblock Heat Pump

Brand Name: MEIDIBAO
Place Of Origin: China
Color: White,OEM
Operation Ambient Temp: 0~43

• Factory: Guangdong China

• Refrigerant: R32

Highlight: 24KW Monoblock Air Source Heat Pump,

Monoblock Air Source Heat Pump R32, Low Carbon Heat Pump Monoblock

Product Description

24KW Monoblock Heat Pump Air Source Heat Pump R32 Low Carbon

Product Description:

Foshan Meidibao Electric Appliance Co.,Ltd relys on science and technology, walks the road of scientifc management, adheres to the good faith management, serves the community for the purpose and pays attention to create the energy conservation and environmental friendly product. After many years of accumulation and development, R&D ability and service level gradually increases with series of patent and independent intellectual property rights, Meidibao has sound production equipment and perfect craftmanship process with regular and bespoke experience and capacity for air source heat pump producing over thousands of heat pump per year.


Feature:

- 1. water flow switch protection
- 2. Antifreezing protection
- 3. High/Low pressure protection
- 4. compressor overload protection

Specification:


25kw Commercial Air Source Heat Pump)	
Model:		M-C24AAH
Climate type:		Normal
Power supply:		380V 3N /50Hz
Rated heating capacity:	kw	25
Rated power input:	kw	7
Rated current:	A	18.2
Water heating capacity:	L/h	555
Refrigerant/charging volume:		R410a/3200g
Max. exhaust pressure:	MPa	3.0MPa
Min. suction pressure:	MPa	0.05MPa
Rated hot water temp.:		55
Max. hot water temp.:		60
Water pipe size:		1.0"
Noise level:	dB(A)	≤65dB(A)
Anti-electric shock rate		I
Protection grade:		IP×4
Dimensions:	mm	860*700*1490
Net weight:	kg	200kg


Sample Project:


















Meidibao Foshan Meidi Bao Electric Appliance Industry Co., Ltd





