



## 3HP 220V Outdoor Air Source Heat Pump For Heating And Cooling R32 Refrigerant

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: Meidibao
- Certification: CE
- Model Number: KFXKS-8I-M2C(LRS)
- Minimum Order Quantity: 10 units
- Price: negotiate a price
- Packaging Details: Factory standard packing
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
- Payment Terms: T/T
- Supply Ability: 30 units one day



#### Product Specification

- Refrigerant Oil: R32
- Color: White, Dark Grey, OEM
- Use: Villa, apartment, restaurant
- Type: Air Source
- Heating: 10.5KW
- Cooling: 6.9KW
- Name: Heating And Cooling Heat Pump
- Highlight: **220V Outdoor Air Source Heat Pump,**  
**3HP Air Source Heat Pump Heating And Cooling**  
**, Outdoor Air Source Heat Pump For Heating And Cooling**

## Product Description

### 3HP 220V Air Source Heating And Cooling Heat Pump R32 Refrigerant

#### Product Description:

Meidibao air source heat pump system is powered by ambient air and operates around the clock: it provides continuous hot water throughout the year and throughout the year, regardless of weather. The operating cost is 67% less than that of gas water heater, 75% less than that of electric water heater and 60% less than that of boiler. Intelligent control: The unit is automatically controlled by a microcomputer, and automatically runs according to the water temperature of the water tank and the user's water use, without the need for special duty. Reasonable arrangement of low front

#### Feature:


1. famous brand Compressor
2. Water side heat exchanger The water side heat exchanger adopts high-efficiency shell tube heat exchanger or threaded casing heat exchanger, which has the characteristics of small volume, light weight, easy disassembly, convective heat conduction, high efficiency pressure
3. Air side heat exchanger The air-side heat exchanger adopts an integral hydrophilic finned inner threaded tube design, with a large windward area, high heat transfer efficiency, resistance to oxidation and corrosion, and hydrophilic fins that are less prone to condensation and frosting, ensuring that the unit has sufficient heating capacity in the cold winter season, and that the unit can still operate normally for heating and defrosting even in low temperatures
4. Housing materials The external sheet metal is can made of galvanised steel or 304# sheet metal

#### Specification:

Product	Heating And Cooling Heat Pump
Model	KFXKS-8I-M2C(LRS)
Climatic type	Normal
Power supply	220V /50Hz
Rated heating capacity	10.5kW
Rated heating power	2.83kW
Rated cooling capacity	6.9KW
Rated cooling power	3.1kW
Max Rated current	18A
Refrigerant / Charge	R32/1700
Rated heating water	55
Rated cooling water	7
Max hot water temp.	60
working temp	0-43
water pipe size	DN25
Noise	≤65dB(A)

#### Sample Project:







8613534489875



info@meidibao.com



airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China