



High Efficiency Heating And Cooling Heat Pump Commercial R410A Refrigerant

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 3 Units
- Price:
- Factory standard packing • Packaging Details:
- Delivery Time:
- Specific to the order based on regular products 5 to 7 days. Custom made for 30 days T/T • Payment Terms: • Supply Ability: 5 units one day

negotiate a price

China

CE

Meidibao

KFXKS-140II-M1(LRS)



Product Specification

	 Highlight: 	High Efficiency Heating And Cooling Heat Pump , Heating And Cooling Heat Pump Commercial, R410A Heat Pump Heating And Cooling
	Origin:	Guangdong China
	 Heat Exchanger: 	Titanium Tube In Tube
	 Refrigerant Type: 	R410A
	 Place Of Origin: 	China
	• Feature:	High Efficiency
	 Application: 	Outdoor
,	• Name:	Heating And Cooling Heat Pump

Our Product Introduction

KFXKS-140II-M1(LRS) heating and cooling heat pump for Large commercial premises

Product Description:


The 40RT 304# sheet metal heating and cooling heat pump is a highly advanced and efficient system designed to meet the demanding temperature control needs of various applications. This heat pump is engineered with a 40RT capacity, ensuring powerful and rapid heating and cooling capabilities. The use of 304# sheet metal for the construction of its outer casing provides excellent durability and resistance to corrosion, making it suitable for both indoor and outdoor installations. In the heating mode, it efficiently extracts heat from the surrounding environment and transfers it indoors, providing a warm and comfortable atmosphere. When it's time to cool, the system reverses the process, removing heat from the interior and expelling it outside. It can be easily integrated into existing HVAC setups and is suitable for a wide range of commercial and industrial spaces.

Feature:

1. High Capacity

2. Durable Construction: The 304# sheet metal casing offers excellent resistance to corrosion and wear, ensuring a long lifespan.

Energy Efficiency: Optimized design and components lead to reduced energy consumption and lower operating costs.
 Versatile Functionality: Capable of providing both heating and cooling, adapting to different seasons and climate needs.



Heating in Winter Cooling in Summer Enjoy the life

Specification:

Product	Heating And Cooling Heat Pump
Model	KFXKS-140II-M1(LRS)
Climatic type	Normal
	380V /50Hz
Rated heating capacity	140kW
1 91	37.8kW
······	92KW
Rated cooling power	41.7kW
	95.8A
Rated heating water	55
Rated cooling water	7
Max hot water temp.	60
working temp	0-43

Sample Project :





No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China