



# 15HP 304# Commercial Air Water Heat Pump Heating Cooling **49KW**

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 3 units
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



## **Product Specification**

- Working Temp:
- 0 43 • Compressor: Panasonic/Copeland/Danfoss 49KW • Heating Capacity: Color: Dark Grey, OEM

China

CE

days

T/T

Meidibao

KFXKS-53II-M1(LRS)-304

Specific to the order based on regular products 5 to 7 days. Custom made for 30

negotiate a price

Factory standards

30 units one day

- Shell In Coil Or Tube In Tube . Heat Exchanger:

  - Heating And Cooling Heat Pump

32.2KW

• Name: • Highlight:

Cooling:

Commercial Air Water Heat Pump, Air Water Heat Pump Heating Cooling, **Commercial Air To Water Heat Pump Heating** Cooling

Our Product Introduction

15HP 304# Commercial air Water heating and cooling heat pump

#### Product Description:

Constructed with high-quality 304 stainless steel, it offers durability and resistance to corrosion, making it suitable for long-term operation in various environments. The heat pump utilizes advanced technology to extract heat from the air and transfer it to water for heating purposes or vice versa for cooling, providing a sustainable and energy-efficient alternative to traditional heating and cooling systems.

It features intelligent control systems that allow for precise temperature regulation, ensuring optimal comfort levels within the commercial space. The unit is also engineered for low noise operation, minimizing disruption to the working or living environment.

This commercial heat pump is easy to install and maintain, reducing operational costs and downtime. It is an environmentally friendly choice that helps businesses reduce their carbon footprint while enjoying reliable and cost-effective temperature control.

### Feature:

- 1. Compressor Choose the world famous brand rotary type or fully enclosed vortex compressor
- 2. There are many options for heat exchangers
- 3. In addition to heating and cooling the room, also to animals, plants and so on

4. Low noise


### Specification:

Specification.	
Product	Heating And Cooling Heat Pump
Model	KFXKS-53II-M1(LRS)-304
Climatic type	Normal
Power supply	380V /50Hz
Rated heating capacity	49kW
Rated heating power	13.2kW
Rated cooling capacity	32.2KW
Rated cooling power	14.6kW
Max Rated current	35.5A
Refrigerant / Charge	R410/3600g×2
Rated heating water	55
Rated cooling water	7
Max hot water temp.	60
working temp	0-43
water pipe size	DN50
Noise	≤68dB(A)
Product dimension	1480*900*1550mm
Net weight	350kg

# Sample Project :







No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China