



222KW Monoblock Heat Pump Air Source 3N/380V/50Hz Power Supply

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: meidibao
- Certification: CE
- Model Number: M-D222AAS-1
- Minimum Order Quantity: 1 unit
- Packaging Details: wooden frame or plywood box
- Delivery Time: 25-30days
- Payment Terms: T/T
- Supply Ability: 3 units one day



Product Specification

- Material: 304 Stainless Steel
- Heat Exchanger: 304 Shell Titanium Tube
- Heating: 757464BTU
- Refrigerant: R410
- Body Size: 3600×2000×2300
- Place Of Production: Guangdong China
- Name: Monoblock Heat Pump
- Highlight: **222KW Monoblock Heat Pump, Monoblock Heat Pump Air Source 3N**

for more products please visit us on airsource-heatingpump.com

Product Description

222KW Monoblock air source heat pump 3N/380V/50Hz Power supply

Product Description:

Constructed with high-quality 304 stainless steel, it offers durability and resistance to corrosion, making it suitable for long-term operation in various environments. The heat pump utilizes advanced technology to extract heat from the air and transfer it to water for heating purposes or vice versa for cooling, providing a sustainable and energy-efficient alternative to traditional heating and cooling systems.

It features intelligent control systems that allow for precise temperature regulation, ensuring optimal comfort levels within the commercial space. The unit is also engineered for low noise operation, minimizing disruption to the working or living environment.

Feature:

1. 304 shell titanium tubem heat exchanger



2. You can choose to use 304 stainless steel or both galvanized sheet body, diversification
3. use 304 shell titanium tube The highest water temperature can reach 60 degrees
4. Compressor Choose the world famous brand rotary type or fully enclosed vortex compressor


Specification:

Product	swimming pool heat pump
Model	M-D222AAS-1
Climatic type	Normal
Power supply	380V /50Hz
Rated heating capacity	222kW
Rated power input	60kW
Max Rated current	137A

Refrigerant / Charge	R410/5400g×6
Rated water temp.	35
Max hot water temp.	60
water pipe size	3"
Noise	≤86dB(A)
Anti-electric shock rate	I
Protection grade	IP×4
Product dimension	3600*200*2300mm
Net weight	1500kg

• **Sample Project :**





***Meidibao*[®] Foshan Meidi Bao Electric Appliance Industry Co., Ltd**



8613534489875



info@meidibao.com



airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China