



# 60kw Heating And Cooling Heat Pump R410A Galvanzied Sheet Shell In Tude **Air Source**

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 3 units
- Price: negotiate a price

China

CE

meidibao

KFXRS-53II-M1

- · Packaging Details: Factory standards
- Delivery Time: 25-30 work days
- Payment Terms: T/T
- Supply Ability: 20 units one day



# **Product Specification**

- Rated Heating Capacity:
- Type:

• Heat Exchanger:

- 60KW Inverter • Operation Ambient Temp: -35~43 Stainless Plate Exchanger White, Dark Grey
- Protection Grade:
- Highlight:

Color:

- IPx4
- R410A Heating And Cooling Heat Pump, 60kw Heating And Cooling Heat Pump

60kw Heating And Cooling Heat Pump R410A Galvanzied Sheet Shell in Tude Air Source

### Product Description:

Foshan Meidibao Electrical Appliance Co.,Ltd. has been a manufacturer professionally specialized in research, development and production of Heat Pumps since 2005. This 60kW Air Source Heat Pump is a powerful solution designed to provide efficient heating and cooling for large commercial and industrial spaces. Encased in a durable, corrosion-resistant galvanized sheet shell, it's ideal for year-round climate control in demanding environments. Using R410A refrigerant, this system ensures high performance with low environmental impact

### Feature:

1. **60kW High-Capacity Output**: Engineered to efficiently heat or cool large spaces, providing stable temperatures for commercial, industrial, or institutional facilities.

2. Heating and Cooling Versatility. Capable of maintaining optimal indoor temperatures throughout all seasons, adapting seamlessly between heating and cooling modes.

**3. R410A Refrigerant**: This eco-friendly refrigerant enhances energy efficiency and reduces the system's environmental footprint, aligning with green energy standards.

4. Galvanized Sheet Shell: Constructed with a galvanized sheet shell, this heat pump is built for durability and corrosion resistance, making it ideal for outdoor installations and industrial environments.

5. Low Noise Operation: Designed with noise-reduction features, it operates quietly even at high capacity, ensuring comfort without disrupting indoor activities.

Specification:	
Product	Heating And Cooling Heat Pump
Model	KFXRS-53II-M1
Power supply	380V 3N /50Hz
Rated heating capacity	60kW
Rated heating power	15kW
Water heating capacity:	1286L/h
Refrigerant/charging volume:	R410a/3600g×2
Max Rated current	34.45
Protection grade:	IP×4
water pipe size	DN65
Noise	≤78dB(A)

#### Advantages:

Under ideal weather conditions, heat pump water heaters produce three times the energy used to power the heat pump. In other words, heat pump water heaters use one-third of the electricity of conventional electric water heaters. CUB estimates that the average residential customer would save a lot of money per month using a MEIDIBAO heat pump water heater.





No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China