



# KFXKS-74II-M1 Multifunction Custom Heat Pumps 74KW Powerfun And **Versatile Solution**

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 units
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



# **Product Specification**

- Rated Heating Capacity: 74kw
- Color:
- Galvanized Shell In Coil 380V/3PH /60Hz Or 50Hz

China

CE

meidibao

KFXKS-74II-M1

negotiate a price

25-30 days

5 units one day

T/T

Factory standard packing

• Power Supply:

• Heat Exchanger:

- Compressor Type: • Type:
- Scroll
- Highlight:
- Multifunction
- 74KW Custom Heat Pumps, Versatile Solution Custom Heat Pumps, **Multifunction Custom Heat Pumps**

#### KFXKS-74II-M1 Multifunction Custom Heat Pump

The **KFXKS-74II-M1 Multifunction Custom Heat Pump** is a high-performance, customizable solution designed to meet specific heating, cooling, and hot water needs. With an impressive 74 kW capacity, this model efficiently serves a variety of applications, from residential complexes to commercial facilities.

### **Key Features:**

**Powerful Heating Capacity**: Delivers up to 74 kW, ideal for large spaces or high-demand applications. **Multi-Functionality**: Capable of heating, cooling, and providing hot water, making it versatile and cost-effective. **Customizable Design**: Tailored to meet your unique requirements, including operational settings and specific energy configurations.

**Energy-Efficient**: Utilizes advanced technology to reduce energy consumption while maintaining optimal performance. **Durability & Reliability**: Built with high-quality materials for long-lasting use and dependable operation in diverse environments.

This custom heat pump is perfect for users looking for an adaptable, powerful, and efficient system.


#### Specification:

Product	Multifunction Custom Heat Pump
Model	KFXKS-74II-M1
Climatic type	Normal
Power supply	380V /60Hz
Rated heating capacity	74kW
Rated power input	19.47kW
Rated cooling capacity	40KW
Rated cooling power	20KW
Max Rated current	45.9A
Refrigerant	R410A/2800g*4
working temp	-7-43
water pipe size	DN65
Noise	≤72dB(A)
Product dimension	2000*1100*1960mm
Net weight	580kg
Heating test conditions:ambient Dry/Wet Bulb Temp: 20 / 15 ;Water Inlet Outlet Temp: 15	
/ 55	
cooling test conditions:ambient Dry/Wet Bulb Temp: 35 / 24 ;Water Inlet Outlet Temp: 12	
/7	

### Advantages:

Meidibao With a strong R&D center and production line, we are constantly specialized in producing and supplying air source heat pump, water/ground source heat pump And a lot of products about heat pumps

With dedicated professional members in engineering, production, management and marketing team, we are sincerely willing to cooperate with you from the beginning to the end. Our service covers from project consultation, product design, sampling, production to quality control, technical support, after sales service and other important functions. plate heat exchanger:







8613534489875 S info@meidibao.com airsource-heatingpump.com
No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China