



21KW Galvanized Sheet Shell Top Outlet Heating and Cooling Heat Pump for Commercial and Residential Use

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Meidibao
- Certification: CE
- Model Number: KFXKS-25II-M2(LRS)
- Minimum Order Quantity: 3 Units
- Price: negotiate a price
- Packaging Details: Factory standard packing
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
- Payment Terms: T/T
- Supply Ability: 5 units one day



Product Specification

- Name: Heating And Cooling Air Source Heat Pump
- Color: Galvanized White
- Working Temp: -7 43
- Place Of Origin: China
- Power: 380V~415V/50Hz/3ph
- Heating: 21KW
- Cooling: 12.7Kw
- Highlight: **21KW Heating And Cooling Heat Pump,
Galvanized Heating And Cooling Heat Pump**

for more products please visit us on airsource-heatingpump.com

Product Description

Top Outlet Galvanized Sheet Shell In Tube 21KW Heating And Cooling Heat Pump


The **21KW Heating and Cooling Heat Pump** is an energy-efficient and durable solution designed for **commercial and residential applications**. Featuring a **top air outlet**, a **galvanized sheet shell**, and an **in-tube heat exchanger**, this unit ensures **reliable, high-performance heating and cooling** in various environmental conditions.

Key Features

- Efficient Heating & Cooling Performance
- Durable Galvanized Sheet Shell
- Top Outlet Design for Optimized Airflow
- Shell-In-Tube Heat Exchanger for Superior Efficiency
- Low Noise & Stable Operation
- Smart Control System for Easy Operation

Applications

- Hotels & Resorts
- Office Buildings & Commercial Spaces
- Industrial Facilities
- Luxury Homes & Villas



Technical Specifications

Product	Heating And Cooling Heat Pump
Model	KFXKS-25II-M2(LRS)
Climatic type	Normal
Power supply	380V /50Hz
Rated heating capacity	21kW
Rated heating power	5.0kW
Rated cooling capacity	12.7KW
Rated cooling power	4.88kW
Max Rated current	16A
Refrigerant / Charge	R410/2600g

Rated heating water	55
Rated cooling water	7
Max hot water temp.	60
Working temp	0-43
Water pipe size	DN25
Noise	≤65dB(A)
Product dimension	840×710×1420mm
Net weight	150kg

Sample Project Gallery











8613534489875



info@meidibao.com



airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China