



## Top Outlet Galvanized Sheet Shell In Tube 21KW Heating And Cooling Heat Pump

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Meidibao
- Certification: CE
- Model Number: KFXKS-25II-M2(LRS)
- Minimum Order Quantity: 3 Units
- Price: negotiate a price
- Packaging Details: Factory standard packing
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
- Payment Terms: T/T
- Supply Ability: 5 units one day



### Product Specification

- Name: Heating And Cooling Air Source Heat Pump
- Color: Galvanized White
- Working Temp: -7 43
- Place Of Origin: China
- Power: 380V~415V/50Hz/3ph
- Heating: 21KW
- Cooling: 12.7Kw
- Highlight: **21KW Heating And Cooling Heat Pump,  
Galvanized Heating And Cooling Heat Pump**

for more products please visit us on [airsource-heatingpump.com](http://airsource-heatingpump.com)

## Product Description

### Top Outlet Galvanized Sheet Shell In Tube 21KW Heating And Cooling Heat Pump

#### Product Description:


The **21KW Heating and Cooling Heat Pump** is an energy-efficient and durable solution designed for **commercial and residential applications**. Featuring a **top air outlet**, a **galvanized sheet shell**, and an **in-tube heat exchanger**, this unit ensures **reliable, high-performance heating and cooling** in various environmental conditions.

#### Feature:

1. Efficient Heating & Cooling Performance
2. Durable Galvanized Sheet Shell
3. Top Outlet Design for Optimized Airflow
4. Shell-In-Tube Heat Exchanger for Superior Efficiency
5. Low Noise & Stable Operation
6. Smart Control System for Easy Operation

#### Applications:

Hotels & Resorts  
Office Buildings & Commercial Spaces  
Industrial Facilities  
Luxury Homes & Villas



#### Specification:

Product	Heating And Cooling Heat Pump
Model	KFXKS-25II-M2(LRS)
Climatic type	Normal
Power supply	380V /50Hz
Rated heating capacity	21kW
Rated heating power	5.0kW
Rated cooling capacity	12.7KW
Rated cooling power	4.88kW
Max Rated current	16A
Refrigerant / Charge	R410/2600g
Rated heating water	55
Rated cooling water	7
Max hot water temp.	60
working temp	0-43
water pipe size	DN25
Noise	≤65dB(A)
Product dimension	840×710×1420mm
Net weight	150kg

#### • Sample Project :









**Meidibao® Foshan Meidi Bao Electric Appliance Industry Co., Ltd**

☎ 8613534489875

✉ [info@meidibao.com](mailto:info@meidibao.com)

🌐 [airsource-heatpump.com](http://airsource-heatpump.com)

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China