



## 3P Small Air Source Heat Pump Domestic Home Heating Water Heater Top Outlet

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Meidibao
- Certification: CE
- Model Number: KFXRS-9I-M5
- Minimum Order Quantity: 3units
- Price: negotiate a price
- Packaging Details: Factory standards
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
- Payment Terms: T/T
- Supply Ability: 20 units one day



### Product Specification

- Name: Air Source Water Heater
- Rated Heating Capacity: 10KW
- Waterproof Level: IP×4
- Working Ambient Temperature: 0~43C
- Advantage: Direct Heating
- Compressor: Panasonic
- Highlight: **3P Small Air Source Heat Pump, Top Outlet Air Source Heat Pump**

for more products please visit us on [airsource-heatingpump.com](http://airsource-heatingpump.com)

## Product Description

### 3P Small Air Source Heat Pump Domestic Home Heating Water Heater Top Outlet

#### Product Description:

The **3P Small Air Source Heat Pump** is an **eco-friendly and cost-effective solution** for domestic heating and hot water needs. Designed for **residential use**, this compact yet powerful unit utilizes **air energy technology** to provide **consistent and energy-efficient heating**. With a **top air outlet design**, it ensures optimal airflow for **stable performance and easy installation**.

#### Feature:


1. **Efficient Heating & Hot Water Supply**
2. **Energy-Saving & Cost-Effective**
3. **Compact & Space-Saving Design**
4. **Eco-Friendly & Sustainable**
5. **Durable & Low Maintenance**

#### Specification:

10KW Air Source Heat Pump		
Model:		KFXRS-9I-M5
Power supply:		220V /50Hz
Rated heating capacity:	kw	10
Rated power input:	kw	2.5
Rated current:	A	11.3
Max. power input:	kw	3.25
Max. current input:	A	14.7
Water heating capacity:	L/h	214
Refrigerant/charging volume:		R22/1400g
Max. exhaust pressure:	MPa	3.0MPa
Min. suction pressure:	MPa	0.05MPa
Rated hot water temp.:		55
Max. hot water temp.:		60
Water pipe size:		DN25
Noise level:	dB(A)	≤65dB(A)
Anti-electric shock rate		I
Protection grade:		IP×4
Dimensions:	mm	710×670×900
Net weight:	kg	100kg

#### Advantages:

1. **Energy-Efficient & Cost-Effective**
2. **Compact & Space-Saving Design**
3. **Reliable Heating & Hot Water Supply**
4. **Eco-Friendly & Sustainable**
5. **Durable & Low Maintenance**
6. **Smart & Safe Operation**





**Meidibao® Foshan Meidi Bao Electric Appliance Industry Co., Ltd**

☎ 8613534489875

✉ [info@meidibao.com](mailto:info@meidibao.com)

🌐 [airsource-heatingpump.com](http://airsource-heatingpump.com)

