



1.5P Air Source Heat Pump Energy Friendly Monoblock OEM Supplier Low Noise

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Meidibao
- Certification: CE
- Model Number: KF115-MS02I
- Minimum Order Quantity: 10SET
- Price: negotiate a price
- Packaging Details: Cartons and wooden pallets
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
- Payment Terms: T/T
- Supply Ability: 30 SET one day



Product Specification

- Name: Monoblock Heat Pump
- Material: Galvanized Sheet
- Heat Exchanger: Tube In Tube
- Use: Hot Water
- COP: 3.8~4.2
- Working Ambient Temperature: 0~43C
- Highlight: **1.5P Monoblock Heat Pump,
Low Noise Monoblock Heat Pump,
Energy Friendly Monoblock Heat Pump**

for more products please visit us on airsource-heatingpump.com

Product Description

1.5P Air Source Heat Pump Energy Friendly Monoblock OEM Supplier Low Noise

Product Description:

The **1.5P Air Source Heat Pump** offers a **highly efficient and eco-friendly heating solution** for residential and light commercial applications. This **monoblock design** combines all components into a single unit, ensuring **easy installation** and **space-saving efficiency**. Designed for **low noise operation**, this heat pump provides **comfortable heating** without disturbing your environment. With **energy-friendly technology**, it helps reduce electricity consumption, making it a **cost-effective and sustainable choice** for heating needs.

Feature:

1. Energy-Efficient & Cost-Effective
2. Monoblock Design for Easy Installation use of features, which is the preferred product for commercial and domestic hot water supply.
3. Low Noise Operation
4. Eco-Friendly & Sustainable
5. OEM Supplier for Custom Solutions

Specification:

Product	Air source heat pump	Air source heat pump
Model	KF115-MS02I	KFXRS-9I-M2C
Climatic type	Normal	Normal
Power supply	220V /50Hz	220V /50Hz
Rated heating capacity	4.9kW	8.05kW
Rated power input	1.29kW	2.36kW
Max Rated current	7.6A	13.6A
Refrigerant / Charge	R410/1050	R410/1100
Rated water temp.	55	55
Max hot water temp.	60	60
working temp	0-43	0-43
water pipe size	DN20	DN20
Noise	≤60dB(A)	≤65dB(A)
Product dimension	800×290×800mm	800×290×800mm
Net weight	53kg	63kg
Testing condition: ambient Dry/Wet Bulb Temp: 20 / 15 ;Water Inlet Outlet Temp: 15 / 55		

Advantages:

1. Energy Efficiency & Cost Savings
2. Monoblock Design for Easy Installation
3. Ultra-Quiet Operation
4. Eco-Friendly & Sustainable
5. Reliable & Durable Performance
6. OEM Customization Available





8613534489875



info@meidibao.com



airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China