



1.5P Low Noise Energy Friendly Monoblock Air Source Heat Pump for Efficient Heating

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Meidibao
- Certification: CE
- Model Number: KF115-MS02I
- Minimum Order Quantity: 10SET
- Price: negotiate a price
- Packaging Details: Cartons and wooden pallets
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
- Payment Terms: T/T
- Supply Ability: 30 SET one day



Product Specification

- Name: Monoblock Heat Pump
- Material: Galvanized Sheet
- Heat Exchanger: Tube In Tube
- Use: Hot Water
- COP: 3.8~4.2
- Working Ambient Temperature: 0~43C
- Highlight: **1.5P Monoblock Heat Pump,
Low Noise Monoblock Heat Pump,
Energy Friendly Monoblock Heat Pump**

for more products please visit us on airsource-heatingpump.com

Product Description

1.5P Air Source Heat Pump - Energy Friendly Monoblock OEM Supplier Low Noise

The **1.5P Air Source Heat Pump** offers a **highly efficient and eco-friendly heating solution** for residential and light commercial applications. This **monoblock design** combines all components into a single unit, ensuring **easy installation** and **space-saving efficiency**. Designed for **low noise operation**, this heat pump provides **comfortable heating** without disturbing your environment. With **energy-friendly technology**, it helps reduce electricity consumption, making it a **cost-effective and sustainable choice** for heating needs.

Key Features

- Energy-Efficient & Cost-Effective
- Monoblock Design for Easy Installation - preferred for commercial and domestic hot water supply
- Low Noise Operation
- Eco-Friendly & Sustainable
- OEM Supplier for Custom Solutions

Technical Specifications

Product	Air source heat pump	Air source heat pump
Model	KF115-MS02I	KFXRS-9I-M2C
Climatic type	Normal	Normal
Power supply	220V /50Hz	220V /50Hz
Rated heating capacity	4.9kW	8.05kW
Rated power input	1.29kW	2.36kW
Max Rated current	7.6A	13.6A
Refrigerant / Charge	R410/1050	R410/1100
Rated water temp.	55	55
Max hot water temp.	60	60
Working temp	0-43	0-43
Water pipe size	DN20	DN20
Noise	≤60dB(A)	≤65dB(A)
Product dimension	800×290×800mm	800×290×800mm
Net weight	53kg	63kg

Testing condition: ambient Dry/Wet Bulb Temp: 20 / 15 ; Water Inlet Outlet Temp: 15 / 55

Key Advantages

- Energy Efficiency & Cost Savings
- Monoblock Design for Easy Installation
- Ultra-Quiet Operation
- Eco-Friendly & Sustainable
- Reliable & Durable Performance
- OEM Customization Available



Meidibao[®] Foshan Meidebao Intelligent Electrical Appliances Co., Ltd

☎ 8613534489875

✉ info@meidibao.com

🌐 airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China