



Air Source Energy Saving Swimming Pool Heater Pool Heat Pump Top Outlet Fan

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Meidibao
- Certification: CE
- Model Number: KFXRS-9I-M5
- Minimum Order Quantity: 3units
- Price: negotiate a price
- Packaging Details: Factory standards
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
- Payment Terms: T/T
- Supply Ability: 20 units one day



Product Specification

- Rated Heating Capacity: 10KW
- Waterproof Level: IP×4
- Working Ambient Temperature: 0~43C
- Advantage: Direct Heating
- Power Supply: 380V 3N /50Hz
- Name: Swimming Pool Heater
- Highlight: **Energy Saving Swimming Pool Heater, Top Outlet Fan Swimming Pool Heater, Pool Heat Pump Swimming Pool Heater**

for more products please visit us on airsource-heatingpump.com

Product Description

3HP Commercial Swimming Pool Air Source Heat Pump White Color Top Outlet

Product Description:

The **Air Source Energy-Saving Swimming Pool Heater** is a **high-efficiency and eco-friendly solution** for maintaining **comfortable water temperatures year-round**. Designed with a **top outlet fan**, this heat pump ensures **efficient heat exchange**, maximizing energy savings while providing **consistent and reliable pool heating**. Ideal for **residential and commercial swimming pools**, this unit offers **low operating costs, quiet performance, and long-lasting durability**.

Key Features:


Energy-Saving Air Source Technology
Top Outlet Fan Design – Optimizes airflow
Smart Digital Control System
Low-Noise Operation
Durable & Weather-Resistant Build
Eco-Friendly Refrigerant

Specification:

10KW Air Source Heat Pump		
Model:		KFXRS-9I-M5
Power supply:		220V /50Hz
Rated heating capacity:	kw	10
Rated power input:	kw	2.5
Rated current:	A	11.3
Max. power input:	kw	3.25
Max. current input:	A	14.7
Water heating capacity:	L/h	214
Refrigerant/charging volume:		R22/1400g
Max. exhaust pressure:	MPa	3.0MPa
Min. suction pressure:	MPa	0.05MPa
Rated hot water temp.:		55
Max. hot water temp.:		60
Water pipe size:		DN25
Noise level:	dB(A)	≤65dB(A)
Anti-electric shock rate		I
Protection grade:		IP×4
Dimensions:	mm	710×670×900
Net weight:	kg	100kg

Advantages:

1. Cost-Effective & Energy-Saving
2. Consistent & Stable Water Temperature
3. Durable & Weather-Resistant Design
4. Reliable Performance in All Seasons
5. Reliable Performance in All Seasons
6. Eco-Friendly Refrigerant





No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China