



# 52KW Commercial Air Source Heat Pump 304# Stainless Steel Anti-Corrosion Heater

### **Basic Information**

. Place of Origin: China Brand Name: Meidibao CE · Certification:

Model Number: M-D52AAH-304

• Minimum Order Quantity: 3SET

• Price: negotiate a price

· Packaging Details: wooden frame or plywood box

• Delivery Time: Specific to the order based on regular

products 5 to 7 days. Custom made for 30

days

• Payment Terms: T/T

. Supply Ability: 30 SET one day



## **Product Specification**

• Material: 304 Stainless Steel Sheet High Efficiency Shell In Tube . Heat Exchanger:

Hot Water Use: 0~43C Working Ambient Temperature:

Meidibao • Brand: Max Hot Water Temperature:

Name: Air Source Heat Pump

· Highlight: 52KW Commercial Air Source Heat Pump, **Commercial Air Source Heat Pump** 

### **Product Description**

#### 52KW Commercial Air Source Heat Pump 304# Stainless Steel Anti-Corrosion Heater

#### Product Description:

The 52KW Commercial Air Source Heat Pump is a high-performance, energy-efficient heating solution designed for commercial and industrial applications. Built with 304# stainless steel, it offers superior corrosion resistance, ensuring longterm durability even in humid or coastal environments. With its advanced heat pump technology, this unit provides stable heating, reduced energy costs, and environmentally friendly operation.

- 1. High-Efficiency 52KW Heating Capacity
- 2. Premium 304# Stainless Steel Construction
- 3. Eco-Friendly & Energy-Saving Technology
- 4. Advanced Anti-Corrosion Protection
- 5. Quiet & Stable Operation

#### Specification:

Product Name:	Air source heat pump
Model:	M-D52AAH-304
Climate type:	Normal
Power supply	380V/3N/50Hz
Rated heating capacity	52
Rated power input	12.5KW
Rated current	21.4A
Refrigerant/charging volume	R410A/3600g*2
Compressor brand/quantity	Copeland/2
Rated hot water temperature:	55
Max hot water temperature:	60
Rated cold water temperature:	7
water pipe size	DN40
Noise level:	≤68dB(A)
Anti-electric shock rate	ĺ .
Protection grade:	IP×4
Weight:	350KG
Dimensions:	1480×900×1550
Manufacturing date:	See bar code
Factory No.:	See bar code
Test result:	Qualified
A .l	

#### Advantages:

- High Energy Efficiency & Cost Savings
  Durable 304# Stainless Steel Anti-Corrosion Construction
- 3. Environmentally Friendly & Sustainable Solution
- 4. Reliable & Consistent Heating Performance
- 5. Quiet & Low-Maintenance Operation
- 6. Smart Digital Control & Remote Monitoring
- 7. Versatile Applications for Commercial & Industrial Use























airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China