



## Monoblock Air Source Heat Pump Water Heater with Galvanized Sheet or 304# Construction and Shell in Coil Heat Exchanger for 0~43C Environments

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Meidibao
- Certification: CE
- Model Number: MDB-10WB
- Minimum Order Quantity: 9 Units
- Price: negotiate a price
- Packaging Details: Factory standards
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
- Payment Terms: T/T
- Supply Ability: 50 Units one day



### Product Specification

- Name: Monoblock Heat Pump
- Material: Galvanized Sheet Or 304#
- Heat Exchanger: Shell In Coil
- Working Ambient Temperature: 0~43C
- Compressor Type: Rotary
- Bran Name: MEIDIBAO
- Refrigerant: R410A
- Highlight: **Monoblock Heat Pump Water Heaters, Monoblock Heat Pump**

for more products please visit us on [air-source-heatingpump.com](http://air-source-heatingpump.com)

## Product Description

# Hot Sales Monoblock Air Source Heat Pump Water Heaters

## Product Overview

The Meidibao Monoblock Air Source Heat Pump Water Heater is a high-performance, energy-efficient solution for residential and commercial hot water needs. Designed with a compact monoblock structure, this heat pump is easy to install, space-saving, and delivers consistent hot water with minimal energy consumption. Ideal for homes, hotels, apartments, and commercial buildings, it ensures cost-effective and eco-friendly heating.

## Key Features

- Famous brand compressor
- Hot-Sale Monoblock Design
- Easy installation, Monoblock type
- High COP (Coefficient of Performance)
- Wide Application

## Technical Specifications

<b>Product</b>	Air source heat pump
<b>Model</b>	MDB-10WB
<b>Climatic type</b>	Normal
<b>Power supply</b>	220V /60Hz
<b>Rated heating capacity</b>	3.65kW
<b>Rated power input</b>	0.96kW
<b>Max Rated current</b>	5.7A
<b>Refrigerant</b>	R32
<b>Rated water temp.</b>	55
<b>Max hot water temp.</b>	60
<b>Working temp</b>	0-43
<b>Water pipe size</b>	G 3/4"
<b>Noise</b>	≤58dB(A)
<b>Product dimension</b>	855×305×540mm
<b>Net weight</b>	43kg

Testing condition: ambient Dry/Wet Bulb Temp: 20 / 15 ; Water Inlet/Outlet Temp: 15 / 55

## Key Advantages

Heat pump form heating: no need to build a boiler room, directly from the air heat absorption, reduce the cost, clean and safety, avoid environmental pollution

For some winter by heat pump heat shortage places, it can also choose auxiliary electric heating to meet the heat requirements

High efficiency, energy saving, reliable performance: choose the world famous brand rotary type or fully enclosed vortex compressor and the world famous brand high-quality refrigeration components

The multi-system unit adopts a two-stage energy regulation system, which is especially suitable for partial load, more energy saving and can

effectively protect the frequent start of the system

**Product Gallery**







**Meidibao<sup>®</sup> Foshan Meidebao Intelligent Electrical Appliances Co., Ltd**

☎ 8613534489875

✉ info@meidibao.com

🌐 airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China