




Commercial Air Source Heat Pump Water Heater Heating And Cooling For Swimming Pool

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: meidibao
- Certification: CE
- Model Number: KFXRS-53II-M1
- Minimum Order Quantity: 3 units
- Price: negotiate a price
- Packaging Details: Factory standards
- Delivery Time: 25-30 work days
- Payment Terms: T/T
- Supply Ability: 20 units one day



Product Specification

- Color: White, Dark Grey
- Type: Inverter
- Rated Heating Capacity: 60KW
- Operation Ambient Temp: -35~43
- Heat Exchanger: Stainless Plate Exchanger
- Protection Grade: IPx4
- Highlight: **Cooling Air Source Heat Pump,
Commercial Air Source Heat Pump,
Swimming Pool Air Source Heat Pump**

for more products please visit us on airsource-heatingpump.com

Product Description

Meidibao Commercial Air Source Heat Pump Water Heater Heating And Cooling For Swimming Pool

Product Description:

The Meidibao Commercial Air Source Heat Pump is designed for efficient heating and cooling of swimming pools, providing consistent water temperature while ensuring energy savings. With its high COP performance and R410A refrigerant, it offers stable and eco-friendly operation. Ideal for hotels, resorts, schools, and sports centers, this heat pump guarantees reliable performance throughout the year.

Feature:

1. Dual Function
2. High Energy Efficiency
3. Durable and Corrosion-Resistant
4. Eco-Friendly Refrigerant
5. Intelligent Control
6. Low Noise Operation

Specification:

Product	Heating And Cooling Heat Pump
Model	KFXRS-53II-M1
Power supply	380V 3N /50Hz
Rated heating capacity	60kW
Rated heating power	15kW
Water heating capacity:	1286L/h
Refrigerant/charging volume:	R410a/3600g×2
Max Rated current	34.45
Protection grade:	IP×4
water pipe size	DN65
Noise	≤78dB(A)

Specifications:

Heating capacity: 20kW – 100kW (various models available)

Refrigerant: R410A / R32

Operating temperature range: -15°C to 43°C

Compressor: Copeland / Panasonic / Mitsubishi (high-efficiency and durable)

Water temperature range: 15°C – 40°C

Noise level: ≤55 dB(A)





No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China