



## Energy-Saving and Environmentally Friendly Industrial Air Conditioner with High Air Volume for Large Workshops

Our Product Introduction

for more products please visit us on [airsource-heatingpump.com](http://airsource-heatingpump.com)

### Basic Information

- Place of Origin: China
- Brand Name: meidibao
- Certification: CE
- Model Number: AX-260WC
- Minimum Order Quantity: 6 unit
- Price: 1460~1700USD/SET
- Packaging Details: PLT
- Delivery Time: 30~40days
- Payment Terms: T/T
- Supply Ability: 100 sets




### Product Specification

- Rated Power(KW): 4.57
- Air Volume (m<sup>3</sup>/h): 6000
- Main Power Cord (mm<sup>2</sup>): 5×2.5 Wire
- Dimensions (mm): 834\*524\*1775
- Weight (kg): 170
- Highlight: **Air Conditioners,  
Environmentally Friendly Air Conditioners**



### More Images



## Product Description

# AX-260WC Energy-Saving Air Conditioners / Environmentally Friendly

## Product Overview

Guangdong Foshan Meidibao Electrical Appliance Co., Ltd. was established in 2005. As a professional manufacturer of heat pumps, we also serve as an original equipment manufacturer for non-standard customized solutions for industry peers. In 2009, we successfully developed and marketed the multi-functional heat pump. After extensive market verification, our product quality has remained stable, and our technology has become increasingly mature.

## Key Features

- Powerful cooling capacity quickly reduces temperature in large workshops
- Efficient air circulation system ensures even cool air distribution
- Detachable dust filter simplifies daily cleaning and maintenance
- Advanced low-energy consumption technology for high energy efficiency ratio
- Significant electricity cost savings while contributing to environmental protection

## Technical Specifications

|   |                                 |
|---|---------------------------------|
| Model                                   | AX-260WC                        |
| Rated Cooling Capacity (KW)             | 26.5                            |
| Rated Power (KW)                        | 4.57                            |
| Rated Voltage/Frequency                 | 380V/3N/50HZ                    |
| Air Volume (m <sup>3</sup> /h)          | 6000                            |
| Refrigerant/Charge                      | R22/2500g                       |
| Noise (A-weighted Sound Pressure Level) | ≤ 68dB (A)                      |
| Operating Temperature Range             | 5°C - 45°C                      |
| Air Supply Distance (m)                 | 10                              |
| Main Power Cord (mm <sup>2</sup> )      | 5×2.5 wire (National Standard)  |
| Drain Pipe Diameter                     | 6 points/DN20 (Internal Thread) |
| Inlet and Outlet Water Diameter         | 1 inch/DN25 (Internal Thread)   |
| Dimensions (mm)                         | 834×524×1775                    |
| Weight (kg)                             | 170                             |

## Design Advantages

The system consists of an outdoor unit and an indoor unit. The outdoor unit features dual fans and a compact structure responsible for heat exchange. The indoor unit adopts a side-air-outlet design, which coordinates and adapts to the whole system, efficiently delivering cold air.

The side-air-outlet design enables the indoor unit to blow air horizontally to both sides, allowing cool air to circulate quickly in large-area industrial workshops and cover every corner, resulting in more uniform and rapid cooling.

In industrial workshops with dense personnel, creating a cool and comfortable working environment is crucial. Meidibao custom-made air conditioners, with their unique design and high-efficiency performance, respond to this demand and bring an unprecedented rapid-cycle cooling solution for large-area working scenarios.

## Product Images



**Meidibao<sup>®</sup> Foshan Meidebao Intelligent Electrical Appliances Co., Ltd**

☎ 8613534489875

✉ info@meidibao.com

🌐 airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China