



Titanium Alloy Heat Exchanger Swimming Pool Heat Pump with 30 Constant Temperature Heating and 60% Lower Energy Cost

Our Product Introduction

for more products please visit us on airsource-heatingpump.com

Basic Information

- Place of Origin: China
- Brand Name: meidibao
- Certification: CE
- Model Number: KFX-Y-106II
- Minimum Order Quantity: 6 unit
- Price: 1590-1700USD/SET
- Packaging Details: PLT
- Delivery Time: 30~40days
- Payment Terms: T/T, Western Union
- Supply Ability: 100 sets



Product Specification

- Rated Heating Capacity: 107
- Nominal Input Power: 24.3
- Maximum Allowable Current: 66
- Water Flow Rate: 32-37
- Dimension: 1800*1100*2000
- Highlight: Intelligent Control Swimming Pool Heat Pump, Custom Swimming Pool Heat Pump, 30C Constant Temperature Swimming Pool Heat Pump



More Images



Titanium Alloy Heat Exchanger Swimming Pool Heat Pump

Energy-saving and worry-free! Titanium alloy heat exchanger swimming pool heat pump, the cost of 30 constant temperature heating is 60% lower than traditional methods.

Company Background

Guangdong Foshan Meidibao Electrical Appliance Co., Ltd was established in 2005. As a professional manufacturer of heat pumps, we are also an original equipment manufacturer for non-standard customized solutions for industry peers. In 2009, the multi-functional heat pump was successfully developed and marketed. After extensive market verification, the product quality has remained stable, and the technology has become increasingly mature.

Key Features

- Integrates intelligent control technology with multiple operation modes
- User-friendly operation panel with simple and intuitive interface
- Easy parameter setting for water temperature, operation mode, and scheduled on/off
- Remote intelligent control via mobile app or computer management system
- Real-time equipment status monitoring and parameter adjustment
- Self-diagnosis function for faults with prompt alarm and fault code display
- Reduces operation and maintenance difficulty
- Eliminates need for dedicated monitoring personnel

Technical Specifications

MODEL	unit	KFXY-106II
Factory code		MDB-25HP
Rated heating capacity	KW	107
Nominal input power	KW	24.3
Maximum allowable current	A	66
Water flow rate	m³/h	32-37
Maximum water pressure	MPa	1
Inlet and outlet pipe size	MM	DN125
Noise	dB(A)	≤69
Dimension	MM	1800×1100×2000
Weight	KG	730

Key Advantages

- Aligns with "energy conservation and emission reduction" policy orientation
- Eligible for equipment subsidies up to 30% of purchase price in some regions
- Participation in carbon trading and carbon reduction credits
- Carbon reduction achievements applicable for corporate ESG reports
- Enhances corporate social responsibility image
- Provides dual benefits of policy dividends and brand value



Meidibao[®] Foshan Meidebao Intelligent Electrical Appliances Co., Ltd

☎ 8613534489875

✉ info@meidibao.com

🌐 airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China