



Swimming Pool Heat Pump with Titanium Alloy Heat Exchanger for High Efficiency and Energy Conservation

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: meidibao
- Certification: CE
- Model Number: KFX-Y-127II
- Minimum Order Quantity: 6 unit
- Price: 1590-1700USD/SET
- Packaging Details: PLT
- Delivery Time: 30~40days
- Payment Terms: T/T, Western Union
- Supply Ability: 100 sets



Product Specification

- Rated Heating Capacity: 128
- Nominal Input Power: 29.1
- Maximum Allowable Current: 78.8
- Water Flow Rate: 35-40
- Dimension: 200*1100*2030
- Highlight: **Swimming Pool Heat Pumps,
Titanium Alloy Swimming Pool Heat Pumps**

for more products please visit us on airsource-heatingpump.com

Swimming Pool Heat Pumps with Titanium Alloy Heat Exchangers

For swimming pool heat pumps, choose titanium alloy heat exchangers: high efficiency and energy conservation are the foundation, and not replacing the core for 10 years is the real capability.

Company Background

Guangdong Foshan Meidibao Electrical Appliance Co., Ltd was established in 2005. As a professional manufacturer of heat pumps, it is also an original equipment manufacturer for non-standard customized solutions for industry peers. In 2009, the multi-functional heat pump was successfully developed and marketed. After extensive market verification, the product quality has remained stable, and the technology has become increasingly mature.

Product Features

- Integrates intelligent control technology and supports multiple operation modes
- User-friendly operation panel with simple and intuitive interface
- Staff can easily set parameters such as water temperature, operation mode, and scheduled on/off
- Supports remote intelligent control via mobile phone APP or computer management system
- Real-time viewing of equipment operating status and parameter adjustment
- Self-diagnosis function for faults with prompt alarm and fault code display
- Reduces difficulty of equipment operation and maintenance
- Eliminates need for dedicated personnel to closely monitor equipment operation

Technical Specifications

Parameter	Unit	KFX-Y-127II
Factory Code		MDB-30HP
Rated Heating Capacity	KW	128
Nominal Input Power	KW	29.1
Maximum Allowable Current	A	78.8
Water Flow Rate	m ³ /h	35-40
Maximum Water Pressure	MPa	1
Inlet and Outlet Pipe Size	MM	DN125
Noise	dB(A)	≤72
Dimension	MM	200*1100*2030
Weight	KG	890

Key Advantages

Traditional heating equipment makes a lot of noise (60-80 dB), which interferes with the leisure atmosphere of the swimming pool. The heat pump adopts a silent air duct design and frequency conversion technology, with an operating noise as low as 45dB (equivalent to a soft conversation). Whether it's daytime swimming pool teaching or private use at the high-end swimming pool at night, it can create a quiet and comfortable environment, attracting high-end customers with an "upgraded invisible experience". From long-term cost reduction and scenario expansion, to water quality reputation and installation efficiency, and then to policy dividends and experience upgrades, it covers the entire operation chain, helping users find unique reasons for "having to choose a heat pump".



Meidibao[®] Foshan Meidebao Intelligent Electrical Appliances Co., Ltd

☎ 8613534489875

✉ info@meidibao.com

🌐 aresource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China