



Factory Dormitory Air Source Heat Pump Hot Water System/Large Air Source **Heat Pump Water Heater**

Basic Information

. Place of Origin: China . Brand Name: Meidibao CE · Certification:

MDB-03HZ Model Number: • Minimum Order Quantity: 3 Unit

• Price: negotiate a price

 Packaging Details: Factory standard packing

• Delivery Time: Specific to the order based on regular

products 5 to 7 days. Custom made for 30

days

T/T • Payment Terms:

. Supply Ability: 10 Unit/Units per Month



Product Specification

Name: Meidibao Heat Pump

Fixed Type:

Guangdong Province China • Origin:

-7-43 . Working Temp:

• Dimension: 820*690*880

112 Weight:

Product Description

Factory Dormitory Air Source Heat Pump Hot Water System/Large Air Source Heat Pump Water Heater

Product description:

Foshan Meidibiao Electrical Appliance Co.,Ltd,established in 2005,specialized in the research,development and production of Heat pumps. With high-quality products and excellent customer service, it has received great praise in markets around the world and has established a global sales network covering regions such as Europe, North America, and South Africa. Whether in terms of technological innovation or service provision, we are committed to exceeding industry standards and establishing long-term partnerships based on reliability and performance.

Key Features:

- · Suitable for hotels and guesthouses.
- Equipped with world renowned compressors for more stable performance and high efficiency heat exchangers for superior heat transfer efficiency.
- · Provides instant domestic hot water—enjoy high quality hot water within 30 seconds of startup.
- Direct water production with circulating heat preservation ensures safe usage.
- Features multiple protection functions and operates 24/7 in all weather conditions to meet diverse personalized needs.

Specification:

MODEL	unit	KFYRS-10I
Factory Model Number		MDB-03HZ
Applicable Ambient Temperature	°C	-7-43
Power Supply Specification	/	220V 1N
Rated Heating Capacity	kw	10.1
Nominal Input Power	kw	2.5
Maximum Operating Current	Α	18
Hot Water Output	L/H	200
Refrigerant	/	R22
Air Outlet Mode	/	Push out the wind
Protection Class	/	IPX4
Outlet Water Temperature	7	28-60
Inlet and Outlet Port Type	MM	DN20
Noise	DB(A)	≤50
Dimensions	MM	820*690*880
Weight	KG	112

Advantages: With direct heating technology, this heat pump delivers warm water instantly, allowing you to enjoy hot water within just 30 seconds of startup, eliminating long waiting times. It features world - renowned compressors and high - efficiency heat exchangers, boasting an energy efficiency ratio far exceeding traditional equipment, which significantly cuts down energy consumption costs. Equipped with multiple protection functions, it operates stably in all climates, ensuring an uninterrupted hot water supply. The circulating heat preservation design minimizes heat loss, providing hot water at the right temperature around the clock. Thanks to its separated water and electricity design, the risk of electric leakage is completely eliminated, ensuring safe use. It can flexibly meet the diverse hot water needs of hotels and guesthouses, and personalized solutions can be customized. By harnessing air thermal energy, it achieves zero pollution emissions, contributing to green and sustainable development. Its high - quality core components ensure long - lasting durability and low maintenance costs, bringing you greater peace of mind.









Meidikao Foshan Meidi Bao Electric Appliance Industry Co., Ltd