



Cold Climate Champions: Top Low-Temperature Heat Pumps for Reliable Heating

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Meidibao
- Certification: CE
- Model Number: DKFXKR-175II-M1CD1
- Minimum Order Quantity: 3SET
- Price: negotiate a price
- Packaging Details: wooden frame or plywood box
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
- Payment Terms: T/T
- Supply Ability: 30 SET one day



Product Specification

- Heat Exchanger: High Efficiency Shell In Tube
- Name: High-Temperature Heat Pump
- Material: Galvanized Sheet
- Use: Hot Water
- Dimension: 2300*1200*2270
- Weight: 1100

Cold Climate Champions: Top Low-Temperature Heat Pumps for Reliable Heating

Product Description:
Foshan Meidibiao Electrical Appliance Co.,Ltd.,established in 2005,specialized in the research,development and production of Heat pumps.With high-quality products and excellent customer service, it has received great praise in markets around the world and has established a global sales network covering regions such as Europe, North America, and South Africa.Whether in terms of technological innovation or service provision, we are committed to exceeding industry standards and establishing long-term partnerships based on reliability and performance.

- Feature:**
- 1. Rapid heating: Equipped with a powerful compressor, it can quickly raise the indoor temperature in a short time, and you don't have to wait long for warmth.
 - 2. Intelligent Regulation: Supports remote control via APP, allowing real-time adjustment of temperature and mode to customize a personalized and comfortable experience.
 - 3. Anti-freezing protection: Equipped with an internal anti-freezing module, it automatically monitors the pipeline temperature to prevent the risk of cracking due to low temperatures.
 - 4. Extralong service life: Utilizing high-quality core components and anti-corrosion processes, it has a service life of over 15 years, reducing replacement costs.

MODEL	unit	DXFXKR-105II-M1CD1
Power Supply Specification	V	380V 3N-50HZ
Rated Heating Capacity	kw	126.4
Nominal Input Power	kw	50.1/88.5
Hot Water Output	L/H	24
Air Outlet Mode	V	top discharge
Inlet and Outlet Port Type	MM	DN40
Noise	DB(A)	≤76
Dimensions	MM	2300*1200*2270
Weight	KG	1100

Advantages:Low-temperature heat pumps integrate advanced technology throughout the entire usage process, providing a convenient, safe and comfortable experience. Supporting AI voice control and smart home interaction, users can remotely control the device through a mobile phone APP to achieve functions such as on/off, timing, and temperature adjustment, allowing them to keep track of the indoor environment anytime and anywhere. The equipment has no risk of open flame or electric leakage. It is equipped with multiple protection mechanisms such as anti-freezing, anti-high voltage and anti-electric leakage, making it more reassuring to use. The standardized interface design shortens the installation cycle by 50%, while the intelligent fault diagnosis system increases the maintenance response speed by 70%, significantly reducing the worries during use. In addition, it also offers a variety of solutions such as individual household heating and regional centralized heating, flexibly adapting to the needs of different scenarios including residential, commercial and industrial ones, and meeting the diverse demands for comfortable living and production.







Meidibao® Foshan Meidi Bao Electric Appliance Industry Co., Ltd

☎ 8613534489875

✉ info@meidibao.com

🌐 airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China