



Southern Style Ultra-Efficient Hot Water Heat Pump With Smart Circulation System

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 3 Unit
- Price:
- Packaging Details: Factory standard packing
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
 Payment Terms: T/T
 Supply Ability: 10 Unit/Units per Month

negotiate a price

China

CE

Meidibao

MDB-10H



Product Specification

• Name:	Meidibao Heat Pump
• Type:	Inverter
• Origin:	Guangdong Province China
Working Temp:	-7-43
• Dimension:	1500*760*1120
Weight:	125

Our Product Introduction

Product Description

Southern Style Ultra-Efficient Hot Water Heat Pump With Smart Circulation System

Product description:

Foshan Meidibiao Electrical Appliance Co.,Ltd,established in 2005,specialized in the research,development and production of Heat pumps. With high-quality products and excellent customer service, it has received great praise in markets around the world and has established a global sales network covering regions such as Europe, North America, and South Africa. Whether in terms of technological innovation or service provision, we are committed to exceeding industry standards and establishing long-term partnerships based on reliability and performance.

Key Features:

1. Intelligent regulation: The intelligent variable frequency circulation system can automatically adjust the hot water circulation speed according to the real-time water demand.

2. It ensures a constant temperature supply for 24 hours.

Extreme environment adaptation: In response to the damp and cold winter climate in the south, it ensures that hot water is available immediately upon opening, meeting the simultaneous water usage needs of multiple users.


3. Durable design: The circulation system features anti-scaling and corrosion resistance, making it suitable for the hard water quality in some southern regions and extending the service life of the equipment.

S	pe	cifi	ica	tio	n

MODEL	unit	KFYRS-39II-M11
Factory Model Number		MDB-10H
		-
Applicable Ambient Temperature	°C	-7-43
Power Supply Specification	/	380v 3N-50HZ
Rated Heating Capacity	kw	39
Nominal Input Power	KW	8.12
Maximum Operating Current	A	19.5
Hot Water Output	L/H	840
Refrigerant	/	R22
Air Outlet Mode	/	Push out the wind
Protection Class	/	IPX4
Outlet Water Temperature	/	28-60
Inlet and Outlet Port Type	MM	DN40
Noise	DB(A)	≤68
Dimensions	MM	1500*760*1120
Weight	KG	236

Advantages:

The intelligent variable frequency circulation system can automatically adjust the circulation speed according to the real-time water demand. No matter whether it is a damp and cold winter or a hot summer in the south, it can ensure that the hot water is immediately available and supplied at a constant temperature for 24 hours without interruption. When multiple users are using water simultaneously, there will be no problems such as water temperature fluctuations or insufficient hot water supply. In addition, the anti-scaling and corrosion-resistant circulation system design effectively addresses the hard water quality in some southern areas, reduces equipment failures, ensures the stability of hot water supply, and completely eliminates users' concerns about water usage.





No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China