



All-Weather High-Efficiency Heat Pump with Low-Temperature Heating and High-Temperature Protection for Southern Areas

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Meidibao
- Certification: CE
- Model Number: MDB-25H
- Minimum Order Quantity: 3 Unit
- Price: negotiate a price
- Packaging Details: Factory standard packing
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
- Payment Terms: T/T
- Supply Ability: 10 Unit/Units per Month



Product Specification

- Name: Meidibao Heat Pump
- Type: Inverter
- Origin: Guangdong Province China
- Working Temp: -7-43
- Dimension: 2000*1100*1960
- Weight: 640
- Highlight: **Advanced Hot Water Circulation Heat Pump, High Efficiency Heat Pump**

for more products please visit us on airsource-heatingpump.com

All-Weather High-Efficiency Heat Pump For Southern Areas

Product Overview

Eco-Friendly Hot Water Heat Pump For Southern Climates - High-Performance Circulation Design

About Our Company

Foshan Meidibiao Electrical Appliance Co., Ltd, established in 2005, specializes in the research, development and production of heat pumps. With high-quality products and excellent customer service, we have received great praise in markets around the world and have established a global sales network covering regions such as Europe, North America, and South Africa. We are committed to exceeding industry standards and establishing long-term partnerships based on reliability and performance.

Key Features

Low-temperature heating technology: Utilizing low-temperature gas injection enthalpy technology, it can still provide efficient heating during cold waves, ensuring a stable supply of hot water.

High-temperature protection design: Optimized heat dissipation system prevents performance degradation in high-temperature, high-humidity summer environments.

Wide temperature range operation: Stable operation within -15 to 45 temperature range, unaffected by southern climate extremes.

Technical Specifications

Model	KFXRS-71II-M11
Factory Code	MDB-25H
Applicable Ambient Temperature	-7°C to 43°C
Power Supply Specification	380V 3N-50HZ
Rated Heating Capacity	87.8 kW
Nominal Input Power	18.5 kW
Maximum Operating Current	47.1 A
Hot Water Output	1880 L/H
Refrigerant	R410A
Air Outlet Mode	Push out the wind
Protection Class	IPX4
Outlet Water Temperature	28-60
Inlet and Outlet Port Type	DN40 MM
Noise	≤74 dB(A)
Dimensions	2000×1100×1960 MM
Weight	640 KG

Product Advantages

Silent Operation & Flexible Installation: The fully enclosed silent compressor and optimized air duct design reduce operating noise below 45 decibels. Even when installed indoors or near residential areas, it will not interfere with daily life.

Space-Efficient Design: Compact structure with small footprint offers flexible installation options including wall-mounted and floor-standing configurations. Suitable for various scenarios including home bathrooms, hotel rooms, and commercial places. Creates a comfortable and quiet living environment without installation space limitations or operational noise concerns.

Product Gallery





***Meidibao*[®] Foshan Meidebao Intelligent Electrical Appliances Co., Ltd**

☎ 8613534489875

✉ meidebao-xiao@airsource-heatingpump.com

🌐 airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China