



Silent Operation Aquaculture Heat Pump with Titanium Heat Exchanger and Saltwater-Resistant Design for Marine Fish Farms

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Meidibao
- Certification: CE
- Model Number: MDB-26HP
- Minimum Order Quantity: 3 Unit
- Price: negotiate a price
- Packaging Details: Factory standard packing
- Delivery Time: Specific to the order based on regular products 5 to 7 days. Custom made for 30 days
- Payment Terms: T/T
- Supply Ability: 10 Unit/Units per Month



Product Specification

- Name: Meidibao Heat Pump
- Type: Fixed
- Origin: Guangdong Province China
- Working Temp: -7-43
- Dimension: 2000*1100*1960
- Weight: 530
- Highlight: **Marine Fish Farms Aquaculture Heat Pump, IPX5 Aquaculture Heat Pump, Titanium Heat Exchanger Heat Pump**

for more products please visit us on airsource-heatingpump.com

Silent Operation Aquaculture Heat Pump With Titanium Heat Exchanger

Product Overview

Foshan Meidibiao Electrical Appliance Co., Ltd, established in 2005, specializes in the research, development and production of heat pumps. With high-quality products and excellent customer service, we have received great praise in markets around the world and established a global sales network covering regions such as Europe, North America, and South Africa.

We are committed to exceeding industry standards and establishing long-term partnerships based on reliability and performance.

Key Features

Wide-temperature operation: Ultra-wide working temperature range of -30 to 45 provides stable heating in extremely cold regions and continuous cooling in high-temperature environments

Anti-corrosion design: Body made of 316L stainless steel with nano-coating and titanium alloy heat exchanger effectively resists corrosion in high humidity and high salt content environments

Excellent protection grade: IPX5 waterproof and dustproof performance withstands washing and spraying operations, enabling stable outdoor installation

Technical Specifications

Specification	Unit	Value
Model		YKFXRS-45II-M4
Factory Model Number		MDB-20HP
Applicable Ambient Temperature	°C	-7 to 43
Power Supply Specification		380V 3N/50HZ
Rated Heating Capacity	kw	88
Nominal Input Power	kw	18.3
Rated Supply Voltage	A	42
Maximum Water Pressure	mpa	37.7
Refrigerant		R22
Air Discharge Mode		Top Air Discharge
Noise	DB(A)	≤74
Dimensions	MM	2000×1100×1960
Weight	KG	530

Performance Advantages

This heat pump features an ultra-wide operating temperature range from -30 to 45 , ensuring stable operation in both severe winters and sweltering summers, guaranteeing a constant and worry-free breeding environment. For high-humidity and high-salt aquaculture environments, it adopts a 316L stainless steel body combined with nano-coating and titanium alloy heat exchanger to strongly resist corrosion. The IPX5-level protection design withstands workshop washing and spraying, and can be stably and reliably installed outdoors, handling all kinds of complex environments with confidence.





Meidebao[®] **Foshan Meidebao Intelligent Electrical Appliances Co., Ltd**

☎ 8613534489875

✉ meidebao-xiao@airsource-heatingpump.com

🌐 airsource-heatingpump.com

No9, Guangming North Road, Jiangyi, Leliu Town, Shunde District, Foshan City Guangdong Province, China